

SUBJECT INDEX

- A**
- Aa-Pri2* gene
hydrophobins and, 626–27
- ABH* genes
hydrophobins and, 626–27,
631, 638–39
- A-B type toxins
anthrax and, 647
- acc* genes
fatty acid antibiotics and,
308–9, 311
- AcCys-GlcNα(1→1)Ins
novel thiols and, 333,
345
- Acetyl-CoA carboxylase
fatty acid antibiotics and,
310–11
- Achromatium oxaliferum*
ammonia-oxidizing
bacteria and, 516
big bacteria and, 116–19
- acp* genes
anthrax and, 650
fatty acid antibiotics and,
308–9, 316
- Acquired immunity
immune checkpoints in
viral latency and, 531–32
- acrAB*-encoded multidrug
efflux pump
fatty acid antibiotics and,
319
- Acromyrmex* spp.
symbiosis and
fungus-growing ants, 359,
362, 364, 367, 372, 374
- Actinobacillus*
actinomycetecomitans
fatty acid antibiotics and,
322
- Actinomyces* spp.
fatty acid antibiotics and,
306
- Actinomycetes
novel thiols and, 333, 347
symbiosis and
fungus-growing ants,
357–75
- Actinoplanes philippinensis*
novel thiols and, 347
- Adaptation
fungal pathogenesis and,
743, 754–55
horizontal gene transfer in
prokaryotes and, 709
- Adaptive clones
recombination and
bacterial population
structure, 561, 563–65,
570
- Adaptive immune response
immune checkpoints in
viral latency and, 532,
540–41
- Adenylate cyclase
anthrax and, 647
- Advective flow
big bacteria and, 105
- Adventurous gliding
bacterial gliding motility
and, 49, 54, 57–58
- Aerial growth
hydrophobins and, 625,
630–31, 634
- Aerobacter aerogenes*
coliform group
bacteriology and, 204
- Aeromonas* spp.
coliform group
bacteriology and, 210,
212
quorum sensing and, 174
- Aeropyrum pernix*
horizontal gene transfer in
prokaryotes and, 716,
720, 728
- Agaricus bisporus*
hydrophobins and, 626–27,
631, 635, 638–39
- aglU* gene
bacterial gliding motility
and, 57
- AgrC/AgrA virulence system
quorum sensing and,
181–82
- Agrobacterium tumefaciens*
quorum sensing and, 167,
171–74, 176–77
- Agrocybe aegerita*
hydrophobins and, 626–27
- ahpC* gene
fatty acid antibiotics and,
320
thiol-redox pathways and,
38–39
- AI-2 synthases
quorum sensing and,
185–86
- ainS* gene
quorum sensing and,
185
- Air-exposed fungal surfaces
coating
hydrophobins and,
634–35
- Alcaligenes eutrophus*
periplasmic stress and
extracytoplasmic function
sigma factors, 596
- alg* genes
bacterial gliding motility
and, 53
periplasmic stress and

- extracytoplasmic function
sigma factors, 601–3
- Allomyces arbuscula*
history of research, 6–7
- ALS gene family
fungal pathogenesis and,
747
- Alternative energy sources
nonreplicating latency of
Mycobacterium tuberculosis and, 139,
149–51
- Aminoacyl-tRNA synthetases
horizontal gene transfer in
prokaryotes and, 709,
729, 732–33, 735
- Ammonia-oxidizing bacteria
amoA and other
protein-encoding genes,
510–11
- Annamox bacteria, 514
- applications, 514–15
- bioremediation of
pollutants, 515
- biotechnology, 514–15
- chemolitho-autotrophic
ammonia oxidation,
486–87
- conclusions, 516
- diversity and distribution
based on 16S rDNA
analyses
aquatic environments,
502–3
- biofilms, 497–99
- biofilters, 497–99
- bioreactors, 497–99
- characterization,
497–505
- marine environments,
503–4
- phylogenetically-based
primers and probes,
493–97
- phylogeny of culture
collection, 492–93
- sewage, 497–99
- terrestrial environments,
499–502
- DNA chip technology,
511–12
- Escherichia coli*, 516
- economic importance,
489–90
- functional genomics,
511–12
- future advances in
molecular techniques,
509–13
- future perspectives, 511–16
- χ -subclass, 513
- genome sequencing,
511–12
- global nitrogen cycle,
488–89
- heterotrophic nitrifiers,
513–14
- improvements of existing
technologies, 509–10
- indicator organisms,
515–16
- introduction, 486–92
- isolation of
ammonia-oxidizing
bacteria from
environment, 491–92
- limitations, 512
- linking identification with
activity, 511
- miscellaneous nitrifiers,
513–14
- modeling, 514–15
- necessity to combine
methods, 512
- nitrification-associated
problems, 490–91
- nitrite-oxidizing bacteria,
513
- non-16S PCR techniques
for strain identification
amoA gene as marker,
505–6
- amo*-like sequences,
506–7
- miscellaneous markers
within rRNA operon,
507
- primer and probe
development, 509–10
- tracking populations
enrichments vs direct
extraction results,
508–9
- laboratory experiments,
509
- quantitative techniques
targeting *amoA* and
16S rDNA, 507–8
- utilization, 489–90
- Ammonium bicarbonate
biological weapons and,
244
- amoA* gene
ammonia-oxidizing
bacteria and, 505–8,
510–13
- Amphipathic film
hydrophobins and, 625
- Amphotericin B
fungal pathogenesis and,
752
- Ampicillin
bacteriophage therapy and,
447
- Amplified fragment length
polymorphisms (AFLPs)
anthrax and, 663
- Amplified ribosomal DNA
restriction analysis
(ARDRA)
ammonia-oxidizing
bacteria and, 502
- Amycolatopsis methanolica*
novel thiols and, 344
- Anabaena variabilis*
bacterial gliding motility
and, 61
- Anacystis nidulans*
thiol-redox pathways and,
25
- Ancestral DNA

- recombination and
 bacterial population
 structure, 567
- Anergy**
 toxic shock syndrome and,
 93
- Annamox bacteria**
 ammonia-oxidizing
 bacteria and, 494, 514
- Anomalous nucleotide
 composition**
 horizontal gene transfer in
 prokaryotes and, 717
- Anoxia**
 big bacteria and, 113,
 127-29
- Anthrax**
 Bacillus anthracis and,
 647-63
- Antibacterial agents**
 bacteriophage therapy and,
 437-48
 fatty acid antibiotics and,
 305-25
- Antibiotics**
 bacteriophage therapy and,
 437, 440-41, 445-47
 dairy bacteria phages and,
 290
 fatty acids and, 305-25
 fungal pathogenesis and,
 752
 nonreplicating latency of
 Mycobacterium
 tuberculosis and, 144
 novel thiols and, 345, 348
 quorum sensing and, 165,
 170, 172-73
 recombination and
 bacterial population
 structure, 577, 584
 symbiosis and
 fungus-growing ants, 357,
 364-66, 371-74
 toxic shock syndrome and,
 84, 86, 90
- Antibodies**
 antigenic variation at red
 cell surface in malaria
 and, 679-80, 683, 685,
 696
 bacteriophage therapy and,
 444
 fungal pathogenesis and,
 760
- Antigenic variation**
 infected red cell surface in
 malaria and, 673-97
- Antioxidants**
 novel thiols and, 333, 343,
 348
- "Antisenescent" red cell
 antibody
 antigenic variation at red
 cell surface in malaria
 and, 696
- Ants**
 fungus-growing
 symbiosis and, 357-75
- Apical membrane**
 polarized epithelium and
 pathogens, 407, 409,
 413-17, 425
- Apoptosis**
 immune checkpoints in
 viral latency and, 539-40
 toxic shock syndrome and,
 93
 viruses and interferons,
 269, 274
 horizontal gene transfer in
 prokaryotes and, 730
- apra* gene
 quorum sensing and,
 169
- Apterostigma* spp.
 symbiosis and
 fungus-growing ants, 359,
 361, 370, 372-73
- Aquatic environments**
 ammonia-oxidizing
 bacteria and, 502-3
 hydrophobins and, 630-34
- Aquifex* spp.
 fatty acid antibiotics and,
 309
 horizontal gene transfer in
 prokaryotes and, 711,
 716, 719-21, 723, 726-28
- Archaea**
 ammonia-oxidizing
 bacteria and, 494, 516
 big bacteria and, 115
 horizontal gene transfer in
 prokaryotes and, 709-36
- Archaeobacteria**
 aerobic phototrophic
 novel thiols and, 333,
 337, 348
- Archaeoglobus fulgidus*
 horizontal gene transfer in
 prokaryotes and, 716,
 720, 726-28
- Arsenophonus* spp.
 coliform group
 bacteriology and, 206,
 209
- Ascobolus immersus*
 homology-dependent gene
 silencing in fungi and,
 382, 384-86, 389
- asg* genes
 quorum sensing and, 187
- Aspergillus fumigatus*
 biological weapons and,
 238
 fungal pathogenesis and,
 744, 748, 751, 753-54,
 758-62
 hydrophobins and, 626-27,
 634
- Aspergillus* spp.
 fungal pathogenesis and,
 744, 746, 751
 hydrophobins and, 626-27,
 634
- Assortative recombination**
 recombination and
 bacterial population
 structure, 565-66
- ATP/ADP translocases**

- horizontal gene transfer in
prokaryotes and, 709, 736
- Atta* spp.
symbiosis and
fungus-growing ants, 359,
362, 365-67, 369-70
- att* genes
dairy bacteria phages and,
291-92
toxic shock syndrome and,
88-90
- Attine ants
symbiosis and
fungus-growing ants, 359,
362-75
- Autoinducers
quorum sensing and,
165-89
- Avian typhosis
bacteriophage therapy and,
439
- Azoles
fungal pathogenesis and,
752
- B**
- Babesia bovis*
antigenic variation at red
cell surface in malaria
and, 695
- Bacillus anthracis*
biological weapons and,
236-39, 247-48
conclusions, 663
detection, 662
disease, 649
early steps of infection, 649
ecology, 662
introduction, 648
life cycle, 648
organism, 649-51
phylogeny, 662
prophylaxis, 661-63
surface structures
capsule, 651-52
exosporium, 651
S-layer, 652-54
- toxins, 654
cellular model of action,
656
edema factor, 657
functional organization,
655-57
lethal factor, 657
mode of action, 655-57
pathogenesis, 657-58
regulatory pathways
major virulence factor
regulation of synthesis,
658-59
miscellaneous regulated
components, 660
 σ^B factor, 660
S-layer regulation,
659-60
vaccines, 661
virulence plasmids, 650-51
- Bacillus cereus* group
Bacillus anthracis and,
647-63
- Bacillus* spp.
horizontal gene transfer in
prokaryotes and, 716,
720-21, 726-28
novel thiols and, 347-48
- Bacillus subtilis*
anthrax and, 659-60
dairy bacteria phages and,
288, 294, 296
fatty acid antibiotics and,
308-9, 323-24
horizontal gene transfer in
prokaryotes and, 716,
719-22, 726-28
periplasmic stress and
extracytoplasmic function
sigma factors, 596,
602-4, 614
quorum sensing and,
179-82, 186, 188
thiol-redox pathways and,
25, 34
- Bacillus thuringiensis*
anthrax and, 662
- "Background" population
recombination and
bacterial population
structure, 572-73
- Bacterial gliding motility
adventurous gliding, 57-58
cell division, 66
cell-surface
polysaccharides, 66
conclusions, 68-69
control of cell movement,
58-59
cyanobacteria, 60-62
- Cytophaga-Flavobacterium*
group, 62-66
- filamentous cyanobacteria,
60-62
- Flavobacterium*
johnsoniae, 64-66
introduction, 50-52
motile-nonspreeding
mutants, 66
multiple systems for cell
movement, 54, 56-59
- Mycoplasma* spp., 67-68
- myxobacteria, 54
polysaccharides, 60-62
prospects, 68-69
social gliding, 55-57
- Synechocystis* PCC6803,
60
twitching motility, 52-54,
56-59
type IV pili, 52-54, 60-62
- Bacterial mats
big bacteria and, 105-6,
116-17, 119-31
- Bacteriology
coliform group and,
201-24
history of research, 12
- Bacteriophage therapy
aims, 437-38
background, 437-38
early trials, 438-41
immunogenicity, 444-45
polyvalency, 441-44

- problems, 441-45
 questions, 441-45
 recent results, 445-48
 resistance, 445
 restriction/modification, 444
- Bacteroides* spp.
 coliform group
 bacteriology and, 211-12
- Basolateral membrane
 polarized epithelium and
 pathogens, 407-13, 419,
 421-25
- "Bastions of polymorphism"
 recombination and
 bacterial population
 structure, 567
- B-domain
 anthrax and, 647
- Beauveria bassiana*
 hydrophobins and, 636
- Beggiatoa* sp.
 big bacteria and, 106,
 115-17, 119-31
- Beta-propiolactone
 biological weapons and,
 244
- Bifidobacterium* spp.
 coliform group
 bacteriology and, 211-12
- Big bacteria
 anoxia, 127-29
 chemotaxis, 111-13
 diffusion, 107-11
 diffusive boundary layer,
 124-27
 ecological niches, 119-30
 electron acceptor, 130-31
 fast swimmers, 123-24
 flowing water, 119-21
 monopolizing substrates,
 128, 130
 nitrate, 127-29
 one-dimensional opposed
 diffusion gradients,
 121-23
 organized communities,
 123-24
- overview, 115-19
 scale of living organisms,
 106-7
 sediment-water interface,
 112-15
 size limit of prokaryotes,
 107-11
 summary, 131-32
- Binary fission
 recombination and
 bacterial population
 structure, 561
- Biochemistry
 bacterial gliding motility
 and, 49
 nonreplicating latency of
Mycobacterium
tuberculosis and, 145-46
 toxic shock syndrome and,
 77
- Biofertilizers
 ammonia-oxidizing
 bacteria and, 504
- Biofilms
 ammonia-oxidizing
 bacteria and, 497-99
 quorum sensing and, 165,
 170-71
- Biofilters
 ammonia-oxidizing
 bacteria and, 497-99
- Biological weapons
 decontamination, 243-45
 history, 237-40
 incident response, 245-49
 introduction, 236-37
 levels of protection,
 246-47
 personal protection,
 241-43
 properties, 240-43
- Bioluminescence
 quorum sensing and,
 167-68
- Biomass
 big bacteria and, 105-32
- Bioreactors
 ammonia-oxidizing
 bacteria and, 497-99
- Bioremediation
 ammonia-oxidizing
 bacteria and, 515
- Biotechnology
 ammonia-oxidizing
 bacteria and, 514-15
 dairy bacteria phages and,
 296
- birA* gene
 fatty acid antibiotics and,
 309
- Blastomyces dermatitidis*
 fungal pathogenesis and,
 746, 748, 751
- Bordetella pertussis*
 anthrax and, 657
- Borrelia burgdorferi*
 horizontal gene transfer in
 prokaryotes and, 716,
 719, 723, 726-28
 quorum sensing and, 186
- Borrelia* spp.
 antigenic variation at red
 cell surface in malaria
 and, 673, 678, 695
- Bovine hemorrhagic
 septicemia
 bacteriophage therapy and,
 439, 445
- Bradyrhizobium japonicum*
 thiol-redox pathways and,
 36
- Brassica napus*
 fatty acid antibiotics and,
 318-19
- Brownian motion
 big bacteria and, 107-8,
 111-12
- Brucella suis*
 biological weapons and,
 238
- Buchnera* sp.
 horizontal gene transfer in
 prokaryotes and, 720, 722
- Budvicia* spp.

- coliform group
bacteriology and, 206,
209, 216, 219, 221
- Burkholderia* spp.
biological weapons and,
237
quorum sensing and,
174
- BURST algorithm
recombination and
bacterial population
structure, 576–78
- Buttiauxella* spp.
coliform group
bacteriology and, 206,
209, 215–19, 221
- C**
- c2-like genus
dairy bacteria phages and,
283, 285, 295
- Ca²⁺
fungal pathogenesis and,
755
- Caenorhabditis elegans*
horizontal gene transfer in
prokaryotes and, 716,
726–28
- Caephalosporium caerulens*
fatty acid antibiotics and,
313
- Campylobacter jejuni*
horizontal gene transfer in
prokaryotes and, 716,
720, 726–28
quorum sensing and, 186
- Candida albicans*
fungal pathogenesis and,
744–50, 752–58, 761–62
- Candida* spp.
fungal pathogenesis and,
744, 747, 750–51, 754,
757–58
- capBCA system
anthrax and, 650, 652
- car genes
periplasmic stress and
extracytoplasmic function
sigma factors, 602, 606–8
- cbpA* gene
polarized epithelium and
pathogens, 414
- ccmG* gene
thiol-redox pathways and,
36
- Cedacea* spp.
coliform group
bacteriology and, 206,
209
- CEK1* gene
fungal pathogenesis and,
752
- Cell division
bacterial gliding motility
and, 66
- Cell growth
viruses and interferons,
273–74
- Cell inclusions
big bacteria and, 105
- Cell polarity
pathogenesis and, 407–25
- Cell size
prokaryote big bacteria
and, 105–32
- Cell wall
dairy bacteria phages and,
296
hydrophobins and, 625,
637–38
periplasmic stress and
extracytoplasmic function
sigma factors, 591–617
- Cell-mediated immunity
fungal pathogenesis and,
759–61
nonreplicating latency of
Mycobacterium
tuberculosis and, 143
- Cell-population density
quorum sensing and,
165–89
- Centers for Disease Control
(CDC)
- biological weapons and,
248
toxic shock syndrome and,
79, 83
- Cerulenin
fatty acid antibiotics and,
305–6, 313–14
- CFTH1* gene
hydrophobins and, 626–27,
629
- cglB* gene
bacterial gliding motility
and, 57–58
- Chaperones
periplasmic stress and
extracytoplasmic function
sigma factors, 594–95
- che* genes
bacterial gliding motility
and, 57–59
- Chemokines
immune checkpoints in
viral latency and, 538–39
- Chemolitho-autotrophic
bacteria
ammonia-oxidizing,
485–517
- Chemotaxis
big bacteria and, 105,
111–13
- Chlamydia* spp.
antigenic variation at red
cell surface in malaria
and, 695
homology-dependent gene
silencing in fungi and,
398
horizontal gene transfer in
prokaryotes and, 709,
716, 719, 725–28, 736
polarized epithelium and
pathogens, 417–19
- Chlamydomophyla* spp.
horizontal gene transfer in
prokaryotes and, 719–20,
722, 724, 726–27
- Chloramphenicol

- bacteriophage therapy and, 447
- Chlorine dioxide
biological weapons and, 244
- Chlorochromatium* spp.
big bacteria and, 119
- Chloroflexus aurantiacus*
bacterial gliding motility and, 68
- Cholera
bacteriophage therapy and, 440, 446
- Chromatium* spp.
big bacteria and, 119
novel thiols and, 336
- Chromobacterium violaceum*
quorum sensing and, 174
- Chromosomes
bacteriophage therapy and, 445
- cl* gene
dairy bacteria phages and, 290
- Citrobacter* spp.
coliform group
bacteriology and, 203, 205–8, 210, 212–13, 216–17, 220–23
- Cladistics
horizontal gene transfer in prokaryotes and, 718
symbiosis and
fungus-growing ants, 365
- Cladosporium* spp.
fungal pathogenesis and, 755
hydrophobins and, 626–27, 638–39
- CLAG9 gene
antigenic variation at red cell surface in malaria and, 685
- Claviceps fusiformis*
hydrophobins and, 626–27, 629–30
- Clonal complexes
recombination and
bacterial population structure, 565, 570–71, 577, 583–85
- Clones
antigenic variation at red cell surface in malaria and, 673–97
recombination and
bacterial population structure, 561, 563–65, 567–73, 575–80, 583–85
- Clostridium botulinum*
biological weapons and, 236, 244
- Clostridium* spp.
anthrax and, 651
coliform group
bacteriology and, 211–12, 224
fatty acid antibiotics and, 309, 323
novel thiols and, 347
quorum sensing and, 186
- Clusters of orthologous groups (COGs)
horizontal gene transfer in prokaryotes and, 714–16
- Coccidioides immitis*
fungal pathogenesis and, 744–46, 751, 757
hydrophobins and, 635
- Coenzymes B and M
novel thiols and, 333, 337–42
- Coevolution
symbiosis and
fungus-growing ants, 357, 361–62
- COH genes
hydrophobins and, 626–27, 639
- Cold-sensitive mutants
history of research, 12–14
- Coliform group
water safety and
changing designation of the bacterial species, 205–10
colonizers, 214–15
conclusions, 223–24
Escherichia coli, 220
enteropathogenic group, 213–14
environmental group, 221
fecal, 211–13, 219–21
fish, 218–19
from species to habitat, 210–11
insects, 218–19
intestinal, 211–13
introduction, 202–3
markers, 221–23
molluscs, 218–19
opportunistic pathogens, 214–15
plants, 217–18
psychrotrophic group, 215–17
rodents, 218–19
traditional classification, 203–5
ubiquitous group, 220–21
- Colonizers
coliform group
bacteriology and, 214–15
- com* genes
novel thiols and, 342
quorum sensing and, 179–81
- Commensals
fungal pathogenesis and, 756
recombination and
bacterial population structure, 572
- Communication circuits
quorum sensing and, 165–89
- Commuting
big bacteria and, 128, 130
- Comparative genomics

- dairy bacteria phages and, 285–89
- CompP/ComA competence sporulation system quorum sensing and, 179–82
- Competence quorum sensing and, 165, 179–82
- Competitive advantage big bacteria and, 105 symbiosis and fungus-growing ants, 364
- Complementation studies hydrophobins and, 625
- Conjugation quorum sensing and, 165
- Consensus model of latency immune checkpoints in viral latency and, 548–49
- Coprinus cinereus* hydrophobins and, 626–27, 639
- Corynebacterium* spp. fatty acid antibiotics and, 307 novel thiols and, 347
- cos*-site phages dairy bacteria phages and, 283, 285–89, 293–95
- Cosuppression homology-dependent gene silencing in fungi and, 391–92
- Coxiella burnetii* biological weapons and, 236, 238
- CPHI* gene fungal pathogenesis and, 752
- cpx* genes periplasmic stress and extracytoplasmic function sigma factors, 591–617
- cro* gene dairy bacteria phages and, 290
- Cross-reactivity immunological antigenic variation at red cell surface in malaria and, 673, 680
- Cry* gene hydrophobins and, 626–27
- Cryphonectria parasitica* hydrophobins and, 626–27, 629, 634
- Cryptococcus neoformans* fungal pathogenesis and, 744–46, 749, 754–56, 760–61
- csaAB* operon anthrax and, 654
- CTO primers ammonia-oxidizing bacteria and, 496
- Cu* gene hydrophobins and, 626–27, 629, 631, 635–37, 639
- cya* gene anthrax and, 650, 654
- Cyanobacteria bacterial gliding motility and, 49, 60–62 big bacteria and, 116
- Cyclogeny bacteriophage therapy and, 442
- Cyclosporin periplasmic stress and extracytoplasmic function sigma factors, 595
- Cyphomyrmex* spp. symbiosis and fungus-growing ants, 359
- Cystic fibrosis quorum sensing and, 170–71
- Cys-X-X-Cys sequence motif thiol-redox pathways and, 21–22, 25, 32
- Cytoadherence antigenic variation at red cell surface in malaria and, 673, 681, 683–89, 697
- Cytochromes thiol-redox pathways and, 33–34
- Cytokines immune checkpoints in viral latency and, 538–39 toxic shock syndrome and, 77, 85, 94 viruses and interferons, 255–75
- Cytomegalovirus (CMV) immune checkpoints in viral latency and, 545–46
- Cytophaga-Flavobacterium* group bacterial gliding motility and, 49–50, 62–66
- Cytophaga hutchinsonii* bacterial gliding motility and, 68
- Cytoplasm big bacteria and, 105 periplasmic stress and extracytoplasmic function sigma factors, 592–93 thiol-redox pathways and, 21, 23–30, 37–39

D

- Dairy bacteria phages comparative genomics, 285–89 DNA packaging, 293–94 genetic switch, 290 head proteins, 294–95 integration/excision, 291–92 introduction, 284 introns, 290–91 *Lactobacillus* phages, 288–89 *Lactococcus* phages, 285–87 lysis cassette, 295–96 outlook, 296–97

- replication, 292-93
Streptococcus phages, 287-88
 tail proteins, 294-95
 transcription, 289-90
 "Death by exhaustion"
 concept
 nonreplicating latency of *Mycobacterium tuberculosis* and, 156
 Decontamination
 biological weapons and, 235, 243-45
degP gene
 periplasmic stress and extracytoplasmic function sigma factors, 592, 594-96, 599, 602, 607-8, 611, 613-15
Deinococcus radiodurans
 horizontal gene transfer in prokaryotes and, 716, 720, 723, 726-28, 732, 735
Delisea pulchra
 quorum sensing and, 188
 Denaturing gradient gel electrophoresis (DGGE)
 ammonia-oxidizing bacteria and, 496, 505, 509-10
 Denitrification
 history of research, 15-16
dep gene
 anthrax and, 650
Desulfonema spp.
 big bacteria and, 130
Desulfovibrio sp.
 ammonia-oxidizing bacteria and, 510
 Development
 hydrophobins and, 625-40
dewA gene
 hydrophobins and, 626-27
 d'Herelle F
 bacteriophage therapy and, 437-39, 441-46
 prokaryotes and, 714-15
 Dormancy
 nonreplicating latency of *Mycobacterium tuberculosis* and, 139-56
 Double-stranded RNA (dsRNA)
 viruses and interferons, 255-58, 263-64, 275
 Drinking water
 coliform group
 bacteriology and, 201-24
Drosophila melanogaster
 horizontal gene transfer in prokaryotes and, 716, 726-28
 "Drug indifference"
 nonreplicating latency of *Mycobacterium tuberculosis* and, 140
 Drug-resistant pathogenic bacteria
 fatty acid antibiotics and, 305-25
dsb genes
 periplasmic stress and extracytoplasmic function sigma factors, 594
 thiol-redox pathways and, 31-36
 Duffy binding-like superfamily
 antigenic variation at red cell surface in malaria and, 687, 689
 Dysentery
 bacteriophage therapy and, 437-39

E
eag gene
 anthrax and, 653, 660
eas gene
 hydrophobins and, 626-27
 Ecology
 ammonia-oxidizing

- bacteria and, 485–517
 anthrax and, 662
 antigenic variation at red cell surface in malaria and, 676
 big bacteria and, 119–30
 coliform group
 bacteriology and, 201–24
 recombination and
 bacterial population structure, 562
 Economic factors
 biological weapons and, 235
 dairy bacteria phages and, 283–97
 Edema factor
 anthrax and, 657
Edwardsiella spp.
 coliform group
 bacteriology and, 206
EFG1 gene
 fungal pathogenesis and, 752
 Electron acceptor
 big bacteria and, 105, 130–31
 Electron transfer
 novel thiols and, 340
 thiol-redox pathways and, 21, 23–24, 27, 32–37
 Elicitors
 hydrophobins and, 625, 637
 quorum sensing and, 165
 Endogenous infection routes
 fungal pathogenesis and, 758
 Enology
 history of research, 9–12
 Enoyl-ACP reductase
 fatty acid antibiotics and, 318–22
 Enrichments
 ammonia-oxidizing bacteria and, 508–9
Entamoeba histolytica
 novel thiols and, 335
 Enteric origins
 coliform group
 bacteriology and, 201, 211–13
Enterobacter spp.
 coliform group
 bacteriology and, 201, 203–8, 210, 212–23
 quorum sensing and, 174
Enterococcus spp.
 coliform group
 bacteriology and, 211–12, 224
 quorum sensing and, 166, 186
 Envelope stress
 periplasmic stress and
 extracytoplasmic function
 sigma factors, 591–617
 Environmental factors
 coliform group
 bacteriology and, 201, 221
 Epigenetics
 homology-dependent gene silencing in fungi and, 382–98
 Epizootic infections
 bacteriophage therapy and, 437–48
 Epoxythane
 biological weapons and, 244
EPR gene
 fungal pathogenesis and, 749
 Epstein-Barr virus (EBV)
 immune checkpoints in
 viral latency and, 546–47
Epuliscium fischeloni
 big bacteria and, 105–6, 108, 110, 115–18, 131
 Ergothioneine
 novel thiols and, 333, 346–49
Erwinia spp.
 coliform group
 bacteriology and, 206–8, 211, 215, 217–19, 221
 quorum sensing and, 167, 172–74, 188
 Erythrocytes
 antigenic variation at red cell surface in malaria and, 673–97
 Erythromycin
 novel thiols and, 345
Escherichia coli
 ammonia-oxidizing bacteria and, 516
 anthrax and, 652
 bacterial gliding motility and, 52, 58
 bacteriophage therapy and, 444–47
 big bacteria and, 111, 117
 biological weapons and, 247
 coliform group
 bacteriology and, 201–24
 dairy bacteria phages and, 292
 fatty acid antibiotics and, 307–13, 315–16, 318–24
 history of research, 8, 11, 15
 horizontal gene transfer in prokaryotes and, 710–11, 714–16, 719–22, 726–28
 nonreplicating latency of *Mycobacterium tuberculosis* and, 153
 novel thiols and, 336–37, 342, 347
 periplasmic stress and
 extracytoplasmic function
 sigma factors, 591–617
 polarized epithelium and pathogens, 411, 414–15
 quorum sensing and, 174, 183, 186
 recombination and
 bacterial population

- structure, 562, 564-65,
567-69, 578, 580, 583
thiol-redox pathways and,
21-40
Escovopsis spp.
symbiosis and
fungus-growing ants, 357,
368-75
Estrogen-binding proteins
fungal pathogenesis and,
757
Ethionamide
fatty acid antibiotics and,
306
Ethylene oxide
biological weapons and,
244-45
Eubacterium spp.
coliform group
bacteriology and, 211-12
Euglena sp.
big bacteria and, 112
Eukaryotes
ammonia-oxidizing
bacteria and, 494
horizontal gene transfer in
prokaryotes and, 709-12,
714, 719, 733-36
Euprymna scolopes
quorum sensing and,
167
Eutrophication
ammonia-oxidizing
bacteria and, 485
Evasion
viruses and interferons,
269-72
Evolution
antigenic variation at red
cell surface in malaria
and, 695, 697
dairy bacteria phages and,
290, 296-97
horizontal gene transfer in
prokaryotes and, 710-18
recombination and
bacterial population
structure, 561, 567-68,
570, 572, 580
symbiosis and
fungus-growing ants,
357-75
thiol-redox pathways and,
21
toxic shock syndrome and,
77, 86, 90
viruses and interferons,
255-58
Ewingella spp.
coliform group
bacteriology and, 206,
209
Excision
dairy bacteria phages and,
283, 291-92
Exogenous infection routes
fungal pathogenesis and,
758-59
Exosporium
anthrax and, 651
Exploitation
polarized epithelium and
pathogens, 423-24
Extracytoplasmic factors
anthrax and, 660
Extracytoplasmic function
(ECF) sigma factors
periplasmic stress and
Bacillus subtilis σ^X and
 σ^W , 602-4, 614
bacterial envelope,
593-94
chaperones, 595
classification, 596-97
conclusions, 616-17
Cpx envelope stress
response, 606-12
cytoplasm, 592
discovery, 592-93
downstream targets, 599,
611-12
envelope biogenesis,
615-16
envelope protein
misfolding, 593-96
Escherichia coli σ^E ,
602, 613-14
future research, 616-17
history, 592-93
inducing cues, 599-601,
608-9
miscellaneous
ECF-regulated stress
responses, 601, 603-6
Mycobacterium spp.
SigE and SigH, 602,
604-5
Myxococcus xanthus
CarQ, 602, 606-8
overlap in stress
responses, 612-14
pathogenicity, 615-16
Pseudomonas
aeruginosa algU,
601-3
regulation, 597-98
responses to
extracytoplasmic stress,
596-97
role of envelope stress
responses, 614-16
 σ envelope stress
response, 598-602
 σ^E homologues, 601
signal transduction,
599-601, 609-10
Streptomyces spp. σ^E ,
602, 605
upregulation, 595-96
virulence, 615-16
- ## F
- fab* genes
fatty acid antibiotics and,
307-23
Facultative anaerobes
anthrax and, 647-63
FAS2 gene
fungal pathogenesis and,
748
Fast swimmers

- big bacteria and, 123-24
- Fatty acid antibiotics
- acetyl-CoA carboxylase, 310-11
- cerulenin, 313-14
- conclusions, 324-25
- diazaborine, 319-22
- enoyl-ACP reductase, 318-22
- inhibitors, 318-22
- enzymes, 307-24
- genes, 308-9
- 3-hydroxyacyl-ACP dehydrase, 317
- initiation of fatty acid synthesis, 309-10
- introduction, 305-7
- 3-ketoacyl-ACP reductase, 316-17
- 3-ketoacyl synthases I, II, and III, 312-16
- inhibitors, 313-16
- malonyl-CoA:ACP transacylase, 311
- "missing" enzymes, 322-24
- peripheral enzymes as targets, 324
- proteins, 307-24
- thiolactomycin, 314-16
- triclosan, 318-19
- FBH1* gene
- hydrophobins and, 626-27
- fdxA* gene
- novel thiols and, 345
- Feces
- coliform group
- bacteriology and, 201, 211-13, 219-21
- Fermentation
- milk
- dairy bacteria phages and, 283-97
- Fever
- toxic shock syndrome and, 77, 80, 82
- Filamentous bacteria
- big bacteria and, 105, 119-23, 126-31
- symbiosis and
- fungus-growing ants, 371, 375
- Filamentous cyanobacteria
- bacterial gliding motility and, 49, 60-62
- Filamentous fungi
- fungal pathogenesis and, 754-55
- homology-dependent gene silencing in fungi and, 382-86, 389-91
- hydrophobins and, 625-40
- fimS* gene
- bacterial gliding motility and, 53
- Firmicutes* spp.
- horizontal gene transfer in prokaryotes and, 719
- fkpA* gene
- periplasmic stress and extracytoplasmic function
- sigma factors, 594-95, 599
- Flavobacterium johnsoniae*
- bacterial gliding motility and, 50-51, 58, 64-66
- Flexibacter filiformis*
- bacterial gliding motility and, 58, 62
- Flowing water
- big bacteria and, 119-21
- Formaldehyde
- biological weapons and, 244-45
- Francisella tularensis*
- biological weapons and, 236, 238
- Free radicals
- biological weapons and, 245
- "Free-wheeling"
- antigenic variation at red cell surface in malaria and, 678
- frz* gene
- bacterial gliding motility and, 57, 59
- Functional genomics
- ammonia-oxidizing bacteria and, 511-12
- Fungi
- homology-dependent gene silencing and, 381-98
- hydrophobins and, 625-40
- pathogenesis and
- adaptations of specific organisms, 754-55
- adherence, 746-47
- calcium, 755
- cell-mediated immunity, 759-61
- classes of infections, 761-63
- conclusions, 763
- dissemination factors, 748
- endogenous infection routes, 758
- estrogen-binding proteins, 757
- exogenous infection routes, 758-59
- host response, 756-61
- humoral immunity, 759
- iatrogenic factors, 758
- immunocompetence, 757-58
- infecting agent, 744-45
- introduction, 744
- iron, 755
- mating type, 756
- melanin, 755
- metabolic factors, 748-49
- morphology, 751-54
- multiple parasitic cell forms, 752-53
- necrotic factors, 749-51
- nutritional factors, 748
- opportunistic pathogens, 745

- penetration factors, 748
 pH, 754
 phenotypic switching, 753–54
 platelets, 761
 primary pathogens, 745
 specific parasitic cell forms, 751–52
 surface properties, 755–56
 temperatures, 746
 toxins, 754–55
 underlying disease, 757–58
 virulence factors, 745–56
- Fungus-growing ants
 symbiosis and, 357–75
- Fusarium* spp.
 biological weapons and, 236
 fungal pathogenesis and, 758, 762
- Fusel oil
 history of research, 11–12
- G**
- G75
 fatty acid antibiotics and, 306
- β -Galactosidase
 coliform group
 bacteriology and, 201–24
- Gamma herpes virus
 viruses and interferons, 269
- garB* gene
 novel thiols and, 336
- Gardens
 symbiosis and
 fungus-growing ants, 357–75
- Gene acquisition
 horizontal gene transfer in prokaryotes and, 709, 734
- Gene clusters
 dairy bacteria phages and, 283, 285
- Gene displacement
 xenologous
 horizontal gene transfer in prokaryotes and, 709, 718, 727, 734–36
- Gene silencing
 homology-dependent
 fungi and, 381–98
- Generalist pathogens
 symbiosis and
 fungus-growing ants, 369–70
- Genetic mapping
 dairy bacteria phages and, 283, 287
- Genetic switch
 dairy bacteria phages and, 283, 287, 290
- Genital mucosa
 polarized epithelium and pathogens, 417
- "Genome hypothesis"
 horizontal gene transfer in prokaryotes and, 717
- "Genomescape"
 horizontal gene transfer in prokaryotes and, 711
- Genomics
 ammonia-oxidizing bacteria and, 511–12
 antigenic variation at red cell surface in malaria and, 673, 689–91
 coliform group
 bacteriology and, 201–24
 dairy bacteria phages and, 283, 285–89, 296–97
 homology-dependent gene silencing in fungi and, 395–98
 horizontal gene transfer in prokaryotes and, 711–13
- Gerronema* spp.
 symbiosis and
 fungus-growing ants, 361
- gerX* gene
 anthrax and, 649–50
- Giardia* spp.
 antigenic variation at red cell surface in malaria and, 695
 novel thiols and, 335
- gld* genes
 bacterial gliding motility and, 51, 64–67
- Gliding motility
 bacterial, 49–69
- Gliotoxin
 fungal pathogenesis and, 754
- Global cycling
 of nitrogen
 ammonia-oxidizing bacteria and, 485, 488–89
- Global warming
 novel thiols and, 338
- Glucosamine
 novel thiols and, 333
- γ -Glutamylcysteine
 novel thiols and, 333, 337
- Glutaredoxin
 thiol-redox pathways and, 21, 26–28
- Glutathione (GSH)
 novel thiols and, 335–37, 343–44, 348
 thiol-redox pathways and, 26–28
- Glutathione amide
 novel thiols and, 333
- Glutathione reductase
 thiol-redox pathways and, 26–28
- Glutathionylspermidine
 novel thiols and, 336–37
- Glyceria maxima*
 ammonia-oxidizing bacteria and, 503
- Gonococci*
 polarized epithelium and pathogens, 417–18

- gor* gene
thiol-redox pathways and, 37-39
- Gram-negative bacteria
ammonia-oxidizing
bacteria and, 492
novel thiols and, 347
quorum sensing and, 165, 167-77
- Gram-positive bacteria
anthrax and, 647-63
dairy bacteria phages and, 284
horizontal gene transfer in prokaryotes and, 719
novel thiols and, 347-48
quorum sensing and, 165, 177-82
- Growth factors
viruses and interferons, 255-58
- grxA* gene
thiol-redox pathways and, 24-25, 27
- gsh* genes
novel thiols and, 337
thiol-redox pathways and, 27
- H**
- Haemophilus ducreyi*
fatty acid antibiotics and, 322
- Haemophilus influenzae*
fatty acid antibiotics and, 322
horizontal gene transfer in prokaryotes and, 711, 716, 719-20, 722-23, 726-28, 735
quorum sensing and, 186
recombination and bacterial population structure, 581-82
- Hafnia* spp.
coliform group
- bacteriology and, 206-8, 211
- Halobacteria
aerobic phototrophic
novel thiols and, 333, 337, 348
- Halobacterium* spp.
horizontal gene transfer in prokaryotes and, 720-21, 726-28
novel thiols and, 338
- hcf* genes
hydrophobins and, 626-27
- Head and tail morphogenesis
dairy bacteria phages and, 283, 294-95
- "Headful" mechanism
dairy bacteria phages and, 293
- Head proteins
dairy bacteria phages and, 294-95
- Helicobacter pylori*
horizontal gene transfer in prokaryotes and, 716, 720, 728
polarized epithelium and pathogens, 415
quorum sensing and, 186
recombination and bacterial population structure, 569, 584
thiol-redox pathways and, 26
- hemA* gene
thiol-redox pathways and, 32
- Heptamerization
anthrax and, 647, 655
- Herpesviruses
immune checkpoints in viral latency and, 531-34, 544-47
viruses and interferons, 269
- Heterotrophic bacteria
ammonia-oxidizing
- bacteria and, 513-14
big bacteria and, 105
- Hfb* genes
hydrophobins and, 626-27
- High-efficiency particulate air (HEPA) filters
biological weapons and, 242
- Histoplasma capsulatum*
fungal pathogenesis and, 744, 746, 748, 751, 754-55, 760
- hld* gene
quorum sensing and, 181
- Homeostasis
immune checkpoints in viral latency and, 531-53
- Homology-dependent gene silencing (HDGS)
fungi and
Ascobolus immersus, 384-86
cosuppression, 391-92
genome-protective mechanism, 395-98
methylation induced premeiotically, 384-86
Neurospora crassa, 382-84, 390-91
Phytophthora infestans, 386-87
plants, 391-92
posttranscriptional gene silencing, 390-95
quelling, 390-91
repeat-induced point mutations, 382-84
RNA interference, 392-93
similarities and differences between transcriptional gene silencing in plants and fungi, 387-88
transcriptional gene silencing, 382-90
transnuclear

- transcriptional gene silencing, 386-87
- Homo sapiens*
- horizontal gene transfer in prokaryotes and, 726-27
- Homoserine lactones
- acetylated
 - quorum sensing and, 165, 170-77, 183-85, 188
- Horizontal gene transfer in prokaryotes
- aminoacyl t-RNA synthetases, 729, 732-33
 - anomalous nucleotide composition, 717
 - archaea, 723-35
 - bacteria, 723-35
 - classification, 718-35
 - conclusions, 735-36
 - conservation of gene order between distant taxa, 715, 717
 - criteria for detection of horizontally transferred genes, 713-17
 - establishing direction, 717-18
 - eukaryotes, 723-35
 - introduction, 710-12
 - miscellaneous
 - eukaryotic genes
 - acquired by prokaryotes, 733-35
 - operons, 715, 717
 - quantification, 718-35
 - unexpected phylogenetic tree topology, 713-14
 - unexpected ranking of sequence similarity among homologs, 713
 - unusual phyletic patterns, 714-16
- Host immunity
- toxic shock syndrome and, 85-86
- Host-range specificity
- bacteriophage therapy and, 443
- Housekeeping genes
- recombination and
 - bacterial population structure, 561, 567, 572, 578
- Hum2* gene
- hydrophobins and, 626-27
- Human immunodeficiency virus (HIV)
- immune checkpoints in viral latency and, 531-32, 536, 547-48
- Humoral immunity
- antigenic variation at red cell surface in malaria and, 673-97
 - fungal pathogenesis and, 759
- HWPI* gene
- fungal pathogenesis and, 747
- Hybrid homoserine
- lactone/two component signaling circuit
 - quorum sensing and, 183-85
- Hyd* genes
- hydrophobins and, 626-27
- Hyd-Pt* genes
- hydrophobins and, 626-27
- Hydrogen peroxide
- biological weapons and, 245
- Hydrogen sulfide
- big bacteria and, 105-32
- Hydrophobins
- attachment, 635-37
 - coating air-exposed fungal surfaces, 634-35
 - conclusions, 640
 - functions, 638-40
 - hyphal escape from aqueous environment, 630-34
 - hyphal wall composition, 637-38
 - interfacial self-assembly, 628-30
 - introduction, 625-28
 - pathogenicity, 635-37
 - toxins, 637
- 3-Hydroxyacyl-ACP
- dehydrase
 - fatty acid antibiotics and, 317
- HYPA* gene
- hydrophobins and, 626-27
- Hyperthermophiles
- horizontal gene transfer in prokaryotes and, 709, 711
- Hyphae
- fungal pathogenesis and, 748, 752, 761
 - hydrophobins and, 625, 630-34, 639-40
- Hypotension
- toxic shock syndrome and, 77, 79-80
- Hypoxia
- nonreplicating latency of *Mycobacterium tuberculosis* and, 139, 145-55
- ## I
- Illegitimate recombination
- recombination and
 - bacterial population structure, 563, 567-68
- Immune checkpoints
- viral latency and
 - adaptive immune response, 540-41
 - apoptosis inhibitors, 539-40
 - CD4 memory, 536
 - CD8 memory, 535
 - chemokine homologues, 538-39
 - conclusions, 551-53
 - consensus model of

- latency, 548-49
 cytokine homologues, 538-39
 cytomegalovirus, 545-46
 Epstein-Barr virus, 546-47
 herpesvirus, 544-47
 HIV, 547-48
 HSV-1, 544-45
 immune surveillance, 549-51
 immune thresholds, 549-51
 innate immune response, 532-33, 537-40
 introduction, 532
 memory T-cell responses, 535
 MHC class I and II antigen presentation, 541-44
 naïve T-cell responses, 535-36
 natural killer cells, 537-38
 viral immunomodulation, 536-44
- Immune evasion**
 antigenic variation at red cell surface in malaria and, 673, 679-80
 immune checkpoints in viral latency and, 531, 536
- Immunology**
 bacteriophage therapy and, 444-45
 fungal pathogenesis and, 757-58
 toxic shock syndrome and, 77, 85-86
 vector biology of leishmaniasis and, 473-75
 viruses and interferons, 273
- Incident response**
 biological weapons and, 235, 245-49
- Indels**
 dairy bacteria phages and, 287
- Indicator organisms**
 ammonia-oxidizing bacteria and, 515-16
- Inducing cues**
 periplasmic stress and extracytoplasmic function sigma factors, 599-601, 608-9
- Influenza virus**
 viruses and interferons, 268
- Ingraham JL**, 1-16
- inhA* gene**
 fatty acid antibiotics and, 320-22
- Innate immune response**
 immune checkpoints in viral latency and, 531, 537-40
- int* genes**
 dairy bacteria phages and, 292
 fungal pathogenesis and, 747, 752
 toxic shock syndrome and, 88-89
- Integration/excision**
 dairy bacteria phages and, 283, 291-92
- Interfacial self-assembly**
 hydrophobins and, 628-30
- Interferons (IFNs)**
 viruses and 2-5(A) synthetase/Rnase L, 264-65
 antiviral actions, 267-69
 block in signaling, 270-71
 block in synthesis, 270
 cell growth, 273-74
 classification of IFNs, 258-59
 clinical use, 274
 differential induction of IFN- α , 260-61
 dsRNA-stimulated gene induction, 263-64
 future research, 274-75
 gamma herpes virus, 269
 IFN- β induction, 259-60
 IFN- γ induction, 261
 IFN-induced proteins, 264-67
 immune system cells, 273
 influenza virus, 268
 introduction, 256-58
 Mx, 266
 P56, 265-66
 P200 family, 266
 picorna viruses, 268
 PKR, 265
 properties of IFNs, 258-59
 receptors, 261
 regulatory factors, 259-61, 266-67
 STAT1, 263
 Thogoto virus, 268
 type I IFN signaling, 261-62
 type II IFN signaling, 262-63
 vesicular stomatitis virus, 268-69
 viral evasion of IFN system, 269-72
- Interspecies communication**
 quorum sensing and, 185-86
- Intestines**
 coliform group bacteriology and, 211-13
- Intravenous immunoglobulin (IVIG)**
 toxic shock syndrome and, 85-86
- Introns**

- dairy bacteria phages and, 290-91
- Iron**
- fungal pathogenesis and, 755
- Isoleucyl aminoacyl-tRNA synthetases**
- horizontal gene transfer in prokaryotes and, 709, 729, 732-33, 736
- Isoniazid**
- fatty acid antibiotics and, 305-6
- nonreplicating latency of *Mycobacterium tuberculosis* and, 144
- J**
- Jak-STAT pathways**
- viruses and interferons, 255-58, 261-63, 270-71, 274
- Junctional pores**
- bacterial gliding motility and, 61
- K**
- KAHRP gene**
- antigenic variation at red cell surface in malaria and, 684-85
- kasA gene**
- fatty acid antibiotics and, 320, 322
- kat genes**
- fatty acid antibiotics and, 320
- "Keep them from awakening"
- concept
- nonreplicating latency of *Mycobacterium tuberculosis* and, 156
- 3-Ketoacyl-ACP reductase**
- fatty acid antibiotics and, 316-17
- 3-Ketoacyl synthases I, II, and III**
- fatty acid antibiotics and, 312-16
- "Kill them as they sleep"
- concept
- nonreplicating latency of *Mycobacterium tuberculosis* and, 156
- Klebsiella spp.**
- coliform group
- bacteriology and, 203-7, 208, 210-13, 215-17, 219-23
- quorum sensing and, 186
- Kluyvera spp.**
- coliform group
- bacteriology and, 206, 209, 218
- Knobs**
- antigenic variation at red cell surface in malaria and, 684, 696
- Koch R, 647
- L**
- Lactic acid**
- dairy bacteria phages and, 283-97
- Lactobacillus spp.**
- coliform group
- bacteriology and, 211-12
- dairy bacteria phages and, 283, 286, 288-97
- novel thiols and, 347
- Lactococcus spp.**
- dairy bacteria phages and, 283, 285-88, 290-92, 296-97
- thiol-redox pathways and, 28
- lacZ operon**
- periplasmic stress and extracytoplasmic function sigma factors, 599
- Lambdoid coliphages**
- dairy bacteria phages and, 283, 287
- las genes**
- quorum sensing and, 168-71
- Latency**
- nonreplicating latency of *Mycobacterium tuberculosis* and, 139-56
- viral
- immune checkpoints and, 531-53
- Lateral genomics**
- horizontal gene transfer in prokaryotes and, 711
- lecA gene**
- quorum sensing and, 170
- Leclercia spp.**
- coliform group
- bacteriology and, 206, 209, 215, 219, 221
- lef gene**
- anthrax and, 650, 654
- Leishmania-sand fly interactions**
- vector biology and anterior migration, 471-72
- attachment to midgut epithelial cells, 465-66
- development of transmissible infections, 454-57
- digestive enzymes, 458-59
- escape from peritrophic membrane, 464-65
- immunomodulation, 473-75
- inhibition of midgut in infected sand flies, 459-60
- introduction, 454
- LPG, 465-66
- maturation of transmissible infections, 469-73
- midgut receptors for parasite attachment, 468-69

- parasite molecules
 controlling early survival, 460-61
 parasite mutants, 461-63
 persistence of
 Leishmania following bloodmeal excretion, 463-69
 potential barriers to complete development of transmissible infections, 457-58
 presensitization, 475
 sand fly saliva, 473-75
 species-specific midgut attachment, 466-68
 stage differentiation, 471-72
 stage-specific midgut attachment, 469-71
 survival in blood-fed midgut, 458-63
 timing of the loss of infection in refractory sand flies, 463-64
 transmission by bite, 472-73
Leminorella spp.
 coliform group bacteriology and, 206
Lentinula edodes
 hydrophobins and, 626-27
Leptospirillum spp.
 ammonia-oxidizing bacteria and, 494
 Lethal factor
 anthrax and, 657
 Lethal shock
 toxic shock syndrome and, 77-94
Leucoagaricus spp.
 symbiosis and fungus-growing ants, 361
Leucocoprinus spp.
 symbiosis and fungus-growing ants, 361
Levine spp.
 coliform group bacteriology and, 205
 Lincomycin
 novel thiols and, 345
 Linkage disequilibrium recombination and bacterial population structure, 561, 569-73
Listeria monocytogenes
 dairy bacteria phages and, 288
 polarized epithelium and pathogens, 420-21
lmbE gene
 novel thiols and, 345
 LolA/p20LolB shuttle protein
 periplasmic stress and extracytoplasmic function sigma factors, 594
LtxI gene
 anthrax and, 657
 luxCDABE operon quorum sensing and, 168-77, 183-86
Lyngbya majuscula
 big bacteria and, 117
 Lysis cassette
 dairy bacteria phages and, 295-96
 Lysogeny
 bacteriophage therapy and, 445
 dairy bacteria phages and, 286-87
M
Macromonas mobilis
 big bacteria and, 117
 Madin-Darby canine kidney (MDCK) cells
 polarized epithelium and pathogens, 412
Mag gene
 hydrophobins and, 626-27
Magnaporthe griseae
 hydrophobins and, 626-27, 634, 636, 639
Magnetobacterium spp.
 ammonia-oxidizing bacteria and, 494
 big bacteria and, 117
 Major histocompatibility complex (MHC)
 immune checkpoints in viral latency and, 541-44
 toxic shock syndrome and, 90-93
 Malaria
 antigenic variation at red cell surface in, 673-97
 Malolactic fermentation
 history of research, 10-11
 Malonyl-CoA:ACP transacylase
 fatty acid antibiotics and, 311
marA gene
 fatty acid antibiotics and, 319
 Marine environments
 ammonia-oxidizing bacteria and, 503-4
 Marker organisms
 coliform group bacteriology and, 221-23
 MAT α genotype
 fungal pathogenesis and, 756
 Mating type
 fungal pathogenesis and, 756
 Maximum likelihood tree
 recombination and bacterial population structure, 581-82
 M cells
 polarized epithelium and pathogens, 411-12
 Melanin
 fungal pathogenesis and, 755
 Memory
 immune checkpoints in

- viral latency and, 531, 533-53
- menA gene
- thiol-redox pathways and, 32
- 2-Mercaptoethane sulfonic acid
- novel thiols and, 333, 337-42
- 7-Mercaptoheptanoyl-threonine phosphate
- novel thiols and, 333, 337-42
- Merthiolate
- bacteriophage therapy and, 443
- Mesophiles
- history of research, 8
- Messenger RNA (mRNA)
- sequence-specific degradation
- homology-dependent gene silencing in fungi and, 381-82, 390-96
- Metabacterium polyspora*
- big bacteria and, 118
- Metabolism
- fungal pathogenesis and, 748-49
- novel thiols and, 333-49
- Metalloproteases
- anthrax and, 647, 657
- Metarhizium anisopliae*
- hydrophobins and, 626-27, 636
- metE* gene
- thiol-redox pathways and, 30
- Methanobacterium* spp.
- horizontal gene transfer in prokaryotes and, 716, 719-20, 723, 726-28
- novel thiols and, 337, 341
- Methanococcus jannaschii*
- horizontal gene transfer in prokaryotes and, 720, 726-27
- novel thiols and, 342
- thiol-redox pathways and, 28
- Methanogens
- novel thiols and, 333, 338-42
- Methanosarcina barkeri*
- novel thiols and, 339-41
- Methanosarcina mazei*
- novel thiols and, 339-40
- Methicillin
- recombination and bacterial population structure, 577
- Methionine sulfoxide reductase
- thiol-redox pathways and, 29-30, 38
- Methylation induced
- premeiotically (MIP)
- homology-dependent gene silencing in fungi and, 384-86
- mgIA* gene
- bacterial gliding motility and, 59
- Microarrays
- ammonia-oxidizing bacteria and, 512
- Microbial ecology
- ammonia-oxidizing bacteria and, 485-517
- Milk fermentation
- industrial
- dairy bacteria phages and, 283-97
- "Missing" enzymes
- fatty acid antibiotics and, 322-24
- mitC* gene
- novel thiols and, 345
- Mitogen-activated protein kinases (MAPKKs)
- anthrax and, 647, 657-58
- Mitomycin
- novel thiols and, 345
- Mitomycin C
- dairy bacteria phages and, 290
- toxic shock syndrome and, 90
- Moellerella* spp.
- coliform group
- bacteriology and, 206, 209
- Monocentris japonicus*
- quorum sensing and, 167
- Monocultures
- symbiosis and fungus-growing ants, 366-67
- Monomerization
- hydrophobins and, 625, 633
- Monomorphism
- anthrax and, 662-63
- Morganella* spp.
- coliform group
- bacteriology and, 206
- Morphogenetic proteins
- hydrophobins and, 625-40
- MPG1* gene
- hydrophobins and, 626-27, 636, 639
- msh* genes
- novel thiols and, 346
- mtr* gene
- novel thiols and, 344
- Mucosal fungal infections
- fungal pathogenesis and, 743, 761-62
- Multichannel Lux circuit
- quorum sensing and, 183-85
- Multicopy, nonallelic gene families
- antigenic variation at red cell surface in malaria and, 673, 687-96
- Multilocus enzyme electrophoresis (MLEE)
- recombination and bacterial population

- structure, 564–72, 574, 583–85
- Multilocus sequence typing (MLST)
 - recombination and bacterial population structure, 561, 574–80, 582–85
- Multiple-locus VNTR analysis (MLVA)
 - anthrax and, 663
- Multiple organ failure
 - toxic shock syndrome and, 77, 79
- Mutualism
 - symbiosis and fungus-growing ants, 357–75
- Mx protein
 - viruses and interferons, 266, 268
- Mycetarotes* spp.
 - symbiosis and fungus-growing ants, 359
- Mycetophylax* spp.
 - symbiosis and fungus-growing ants, 359
- Mycetosoritis* spp.
 - symbiosis and fungus-growing ants, 359
- Mycobacteria
 - dairy bacteria phages and, 283, 286
 - novel thiols and, 347
- Mycobacterium bovis*
 - fatty acid antibiotics and, 316
 - novel thiols and, 343
 - recombination and bacterial population structure, 584
- Mycobacterium leprae*
 - thiol-redox pathways and, 23
- Mycobacterium smegmatis*
 - fatty acid antibiotics and, 316, 318, 321
 - novel thiols and, 344–46
- Mycobacterium* spp.
 - horizontal gene transfer in prokaryotes and, 735
- Mycobacterium tuberculosis*
 - fatty acid antibiotics and, 316, 318, 320–22
 - horizontal gene transfer in prokaryotes and, 716, 720, 724, 726–28
 - nonreplicating persistence of
 - alternative energy sources, 149–51
 - biochemistry, 145–46
 - culture dynamics, 146
 - drug-induced Cornell mouse model, 144–45
 - experimental animals, 142–46
 - future research, 155–56
 - genetic regulation, 148–49
 - human host, 141–42
 - in vitro models of hypoxic NRP, 146–55
 - introduction, 140
 - macrophage cultures, 154
 - “old stationary” models, 147
 - optical density curves, 148
 - phenotypic expression, 148–49
 - regulatory factors, 152–54
 - restriction of biosynthetic activities, 148–49
 - slowly stirred, limited head space ratio (0.5 HSR) model, 147
 - stabilization and protection of essential products, 151–52
 - unstirred model, 146
 - untreated mouse model, 143–44
- novel thiols and, 343–44, 346
- quorum sensing and, 186
- recombination and bacterial population structure, 564, 575, 583–84
- Mycocarpus* spp.
 - symbiosis and fungus-growing ants, 359, 370
- Mycoplasma genitalium*
 - horizontal gene transfer in prokaryotes and, 719, 721–22
- Mycoplasma pneumoniae*
 - big bacteria and, 117
 - horizontal gene transfer in prokaryotes and, 719–20, 722
- Mycoplasma* spp.
 - bacterial gliding motility and, 49, 67–68
- Mycothioli
 - novel thiols and, 333, 343–46
- Myo-inositol
 - novel thiols and, 333, 345
- Myoviridae
 - dairy bacteria phages and, 289, 297
- Myrmicocrypta* spp.
 - symbiosis and fungus-growing ants, 359, 370, 372
- Myrotecium* spp.
 - biological weapons and, 236
- Myxobacteria
 - bacterial gliding motility and, 54–59
- Myxococcus fulvus*
 - bacterial gliding motility and, 58
- Myxococcus xanthus*

- bacterial gliding motility and, 49–60, 67–68
 periplasmic stress and extracytoplasmic function sigma factors, 596, 602, 606–8
 quorum sensing and, 166–67, 186–87
- N**
- Naïve states
 immune checkpoints in viral latency and, 531, 533–37
- Nanobacteria
 big bacteria and, 105–6
- Natural killer (NK) cells
 immune checkpoints in viral latency and, 537–38
- ndh* gene
 fatty acid antibiotics and, 320–21
- Neck passage structure
 dairy bacteria phages and, 294
- Necrotic factors
 fungal pathogenesis and, 749–51
- Neisseria gonorrhoeae*
 bacterial gliding motility and, 50, 52, 54
 polarized epithelium and pathogens, 417
 recombination and bacterial population structure, 569, 584
- Neisseria meningitidis*
 bacterial gliding motility and, 54
 biological weapons and, 237
 horizontal gene transfer in prokaryotes and, 716, 720, 722, 726–28
 quorum sensing and, 186
 recombination and bacterial population structure, 561, 570–73, 575, 578, 580–82
- Neisseria* spp.
 antigenic variation at red cell surface in malaria and, 673, 695
- Neurospora crassa*
 homology-dependent gene silencing in fungi and, 382–84, 389–91
 hydrophobins and, 626–27, 634
 novel thiols and, 347
- Nitrate
 big bacteria and, 105–32
- Nitrobacter* spp.
 ammonia-oxidizing bacteria and, 500, 503, 513
- Nitrosococcus oceani*
 ammonia-oxidizing bacteria and, 503, 513
- Nitrosoguanidine
 history of research, 15
- Nitrosomonas* spp.
 ammonia-oxidizing bacteria and, 485, 493–96, 498–99, 501–7, 509, 511, 514–16
- Nitrospira* spp.
 ammonia-oxidizing bacteria and, 485, 493–96, 498–507, 509, 514, 516
- Nocardia* spp.
 fatty acid antibiotics and, 314
 novel thiols and, 347
- Nonhomologous recombination
 recombination and bacterial population structure, 563, 567–68
- Nonreplicating persistence
Mycobacterium tuberculosis and, 139–56
- Nonvariant parasite proteins
 antigenic variation at red cell surface in malaria and, 684–85
- Norvaline
 history of research, 11–12
- Nostoc punctiforme*
 bacterial gliding motility and, 68
- O**
- Obesumbacterium* spp.
 coliform group bacteriology and, 206
- One-dimensional opposed diffusion gradients
 big bacteria and, 121–23
- Opal* gene
 fungal pathogenesis and, 749
- Ophiostoma novo-ulmi*
 hydrophobins and, 626–27, 631, 635–37
- Ophiostoma ulmi*
 hydrophobins and, 626–27, 629, 631, 635–37
- Opportunistic pathogens
 coliform group bacteriology and, 214–15
 fungal pathogenesis and, 743, 745, 761
 polarized epithelium and pathogens, 423–24
- Optical density curves
 nonreplicating latency of *Mycobacterium tuberculosis* and, 148
- Organized communities
 big bacteria and, 123–24
- Orthologs
 horizontal gene transfer in prokaryotes and, 709, 714–16
- Oscillatoria* spp.
 big bacteria and, 116
- Oscillin
 bacterial gliding motility and, 61
- Outer-membrane proteins

- periplasmic stress and
extracytoplasmic function
sigma factors, 591-617
- "Out of Africa" principle
horizontal gene transfer in
prokaryotes and, 718
- Oxidative stress
ammonia-oxidizing
bacteria and, 485-517
big bacteria and, 105-32
novel thiols and, 334-35
thiol-redox pathways and,
21-22
- Oxygen
big bacteria and, 105-32
- OxyR transcription factor
thiol-redox pathways and,
25
- P**
- P56 protein
viruses and interferons,
265-66
- P200 protein family
viruses and interferons, 266
- pac*-site phages
dairy bacteria phages and,
283, 285-86, 288, 294-95
- pagA* gene
anthrax and, 650, 654, 659
- Pantoea* spp.
coliform group
bacteriology and, 206,
209, 215, 217-19, 221
- PAPS reductase
thiol-redox pathways and,
28-30, 38-39
- Paracoccidioides brasiliensis*
fungal pathogenesis and,
757
- "Paracolon" forms
coliform group
bacteriology and, 204
- Paraformaldehyde
biological weapons and,
244
- Paralogs
horizontal gene transfer in
prokaryotes and, 709,
718, 734-35
- Parasite-vector interactions
leishmaniasis and, 453-75
- Parasites
antigenic variation at red
cell surface in malaria
and, 673-97
horizontal gene transfer in
prokaryotes and, 709, 736
symbiosis and
fungus-growing ants, 357,
368-75
- Pasteur L., 647, 650
- Pasteurella multocida*
bacteriophage therapy and,
439
- Pathogenicity
periplasmic stress and
extracytoplasmic function
sigma factors, 591-617
polarized epithelium and,
407-25
symbiosis and
fungus-growing ants, 357,
367-75
- Pathogenicity islands
toxic shock syndrome and,
89-90
- Péclet number
big bacteria and, 110, 124
- Pelochromatium* spp.
big bacteria and, 119
- Penetration factors
fungal pathogenesis and,
748
- Penicillin
recombination and
bacterial population
structure, 584
- Peptide capsule
anthrax and, 647-48,
651-52
- Peptidyl-prolyl isomerases
(Ppiases)
periplasmic stress and
extracytoplasmic function
sigma factors, 593-95
- Periplasm
thiol-redox pathways and,
21, 30-37
- Persistence
nonreplicating
Mycobacterium
tuberculosis and,
139-56
- Personal protection
biological weapons and,
235, 241-43
- Peyer's patches
polarized epithelium and
pathogens, 411-12
- Pf60* family
antigenic variation at red
cell surface in malaria
and, 693-95
- PfEMP-1
antigenic variation at red
cell surface in malaria
and, 673, 679, 684-85,
687-89, 691, 697
- pH
fungal pathogenesis and,
750, 754, 760
nonreplicating latency of
Mycobacterium
tuberculosis and, 140
- Phenol
bacteriophage therapy and,
443
- Phenotypic switching
fungal pathogenesis and,
753-54
- Phialocladus* spp.
symbiosis and
fungus-growing ants, 370
- Phlebotomine flies
vector biology and, 453-75
- Phormidium* spp.
bacterial gliding motility
and, 50, 61
- Phosphorylation
periplasmic stress and

- extracytoplasmic function
sigma factors, 591-617
- Photorhabdus* spp.
coliform group
bacteriology and, 206
- PHR genes
fungal pathogenesis and,
754
- Phylogenetic analysis
ammonia-oxidizing
bacteria and, 492-97
anthrax and, 647, 662
horizontal gene transfer in
prokaryotes and, 709-36
recombination and
bacterial population
structure, 561, 566-69,
580-83
toxic shock syndrome and,
88
- Phytophthora infestans*
homology-dependent gene
silencing in fungi and,
386-87
- Picornaviruses
viruses and interferons, 268
- pil genes
bacterial gliding motility
and, 53-56, 60
- Pili
type IV
bacterial gliding motility
and, 49-69
- Pilus assembly
periplasmic stress and
extracytoplasmic function
sigma factors, 591-617
- Pisolithus tinctorius*
hydrophobins and, 626-27
- PKR protein
viruses and interferons,
265, 272-73
- Plantomycetales
ammonia-oxidizing
bacteria and, 487, 492,
494
- Plants
homology-dependent gene
silencing in fungi and,
381, 387-88, 391-92
- Plasmids
anthrax and, 650-51,
662-63
- Plasmodium falciparum*
antigenic variation at red
cell surface in malaria and
antigenic variation in
other pathogens,
695-96
antiviral antibodies in
protection, 679-80
background, 674
cytoadherence, 684-87
encoding domains with
defined adhesion
properties, 688-89
genetics, 687-95
genomics, 689-91
history, 676-77
immune evasion, 679-80
life cycle, 675-76
major variant antigen
genes, 686-88
malaria models, 674-75
modified red cell
proteins, 685-86
molecular genetics,
687-95
multigene families,
693-95
nonvariant parasite
proteins, 684-85
Pf60, 694-95
reasons for antigenic
variation, 696-97
rif, 693, 694
size of variant repertoire,
679
stevor, 694
surface antigen proteins,
677-78
switching, 678-79,
692-93
var genes, 688-93
virulence, 681-87
fatty acid antibiotics and,
316
- Plasmodium* spp.
biological weapons and,
237
- Platelets
fungal pathogenesis and,
761
- PLB1* gene
fungal pathogenesis and,
750-51
- Pleurotus ostreatus*
hydrophobins and, 626-27,
638-39
- pmoA* gene
ammonia-oxidizing
bacteria and, 506
- Pneumococcus* spp.
polarized epithelium and
pathogens, 410, 413-14
- Pneumocystis carinii*
antigenic variation at red
cell surface in malaria
and, 695
fungal pathogenesis and,
756, 758, 760
- POH genes
hydrophobins and, 626-27,
639
- Polarized epithelium
bacterial pathogens and
apical membrane,
414-17
apical receptor, 413-14
basolateral membrane,
424-25
Chlamydia spp., 418-19
Chlamydia trachomatis,
417
enteropathogenic
Escherichia coli,
414-15
exploitation, 423-24
future research, 425
gonococci, 417-18
Helicobacter pylori, 415

- introduction, 408-9
 invasion, 423
 in vitro tissue culture models, 412-13
 ligands, 414-15
Listeria monocytogenes, 420-21
 M cells, 411-12
 MDCK cells, 412
 miscellaneous cell lines, 412-13
 mucosal pathogens of genital tract, 417
Neisseria gonorrhoeae, 417
 opportunistic pathogen, 423-24
 overview, 409-11
 paracellular route, 424-25
 Peyer's patches, 411-12
 pneumococci, 413-14
Porphyromonas gingivalis, 424-25
Pseudomonas aeruginosa, 423-24
 receptors, 414-15
Salmonella spp., 416-17
Shigella spp., 419-20
 specific
 pathogen-epithelial cell interactions, 413-25
Streptococcus pneumoniae, 413-14
 summary, 425
 tight junctions, 424-25
 transcytosis, 413-14
Yersinia spp., 421-23
- Pollutants**
 ammonia-oxidizing bacteria and, 515
- Polyglutamic capsule**
 antiphagocytic
 anthrax and, 647-48, 651-52
- Polymerase chain reaction (PCR)**
- ammonia-oxidizing bacteria and, 493, 495-97, 502, 505-13, 516
- coliform group**
 bacteriology and, 202, 209
- hydrophobins and, 628
- quorum sensing and, 187
- Polymorphism concept**
 bacteriophage therapy and, 442
- Polysaccharides**
 bacterial gliding motility and, 60-62, 66
- Polyvalency**
 bacteriophage therapy and, 441-44
- Population structure**
 bacterial
 age of clonal complexes, 583-85
 clonal diversification, 575-80
 clones, 563-85
 conclusions, 585
 Escherichia coli, 568-69
 introduction, 562-63
 linkage disequilibrium, 569-73
 multilocus sequence typing, 574-75
 Neisseria meningitidis, 570-73
 nucleotide sequence analysis, 565-68
 phylogenetic analysis, 568-69, 580-83
- Porphyromonas gingivalis*
 polarized epithelium and pathogens, 424-25
- Posttranscriptional regulation**
 homology-dependent gene silencing in fungi and, 390-95
- ppi* genes
 periplasmic stress and extracytoplasmic function sigma factors, 594
- Pragia* spp.
 coliform group
 bacteriology and, 206
- Primary pathogens**
 fungal pathogenesis and, 743-45
- Primers**
 ammonia-oxidizing bacteria and, 493-97, 509-10
- Probes**
 ammonia-oxidizing bacteria and, 493-97, 509-10
- Processed oligopeptides**
 quorum sensing and, 165, 177-82
- Prochloron* sp.
 big bacteria and, 117
- Prokaryotes**
 big bacteria and, 105-32
 coliform group
 bacteriology and, 201-24
 horizontal gene transfer and, 709-36
 novel thiols and, 333-49
- Prolate heads**
 dairy bacteria phages and, 283
- Prophylaxis**
 bacteriophage therapy and, 437
- Propionibacterium* spp.
 novel thiols and, 347
- Propylene**
 novel thiols and, 341
- Propylene glycol**
 biological weapons and, 244
- Propylene oxide**
 biological weapons and, 244
- Proteasome**
 anthrax and, 657
- Protein folding**

- periplasmic stress and extracytoplasmic function sigma factors, 591-617
 - thiol-redox pathways and, 37-39
 - Proteobacteria
 - β -subclass
 - ammonia-oxidizing bacteria and, 485-517
 - Proteolytic activation
 - anthrax and, 647
 - Proteomes
 - horizontal gene transfer in prokaryotes and, 719
 - Proteus* spp.
 - bacterial gliding motility and, 50
 - coliform group
 - bacteriology and, 206
 - novel thiols and, 347
 - Providencia* spp.
 - coliform group
 - bacteriology and, 206
 - Pseudodisaccharide
 - novel thiols and, 333
 - Pseudomonas aerofaciens*
 - quorum sensing and, 174
 - Pseudomonas aeruginosa*
 - bacterial gliding motility and, 50, 52-55, 60
 - fatty acid antibiotics and, 308-9, 323
 - history of research, 16
 - horizontal gene transfer in prokaryotes and, 716, 719-22, 724, 726-28
 - periplasmic stress and extracytoplasmic function sigma factors, 601-3
 - polarized epithelium and pathogens, 423-24
 - quorum sensing and, 167-74
 - Pseudomonas* spp.
 - dairy bacteria phages and, 287
 - history of research, 7, 16
 - horizontal gene transfer in prokaryotes and, 735
 - novel thiols and, 347
 - polarized epithelium and pathogens, 412
 - Pseudomonas syringae*
 - periplasmic stress and extracytoplasmic function sigma factors, 596
 - Pseudosterilization
 - nonreplicating latency of *Mycobacterium tuberculosis* and, 144
 - Psychrophiles
 - history of research, 8
 - Psychrotrophic organisms
 - coliform group
 - bacteriology and, 201, 215-17, 219-21
 - Public health concerns
 - coliform group
 - bacteriology and, 201-24
 - Pyrazinamide
 - nonreplicating latency of *Mycobacterium tuberculosis* and, 144
 - Pyrimidines
 - history of research, 14-15
 - Pyrococcus* spp.
 - horizontal gene transfer in prokaryotes and, 720, 726-27
- Q**
- Qid3* gene
 - hydrophobins and, 626-27
 - Quelling
 - homology-dependent gene silencing in fungi and, 390-91
 - Quorum sensing
 - Agrobacterium tumefaciens*
 - TraI/TraR virulence system, 171-72
 - Bacillus subtilis*
 - ComP/ComA competence sporulation system, 179-81
 - conclusions, 188-89
 - Erwinia carotovora*
 - ExpI/ExpR-CarI/CarR virulence/antibiotic system, 172-73
 - future research, 188-89
 - gram-negative bacteria, 167-77
 - gram-positive bacteria, 177-82
 - hybrid homoserine lactone/two component signaling circuit, 183-85
 - intergenera and interkingdom communication, 187-88
 - introduction, 166
 - LuxI/LuxR-type quorum sensing, 167-77
 - LuxR-like proteins, 176-77
 - LuxS family of AI-2 synthases, 185-86
 - Myxococcus xanthus*, 186-87
 - peptide-mediated, 177-82
 - Pseudomonas aeruginosa*
 - LasI/LasR-RhlI/RhlR virulence system, 168-71
 - Staphylococcus aureus*
 - AgrC/AgrA virulence system, 181-82
 - Streptococcus pneumoniae*
 - ComD/ComE competence system, 179
 - two-component interspecies communication, 185-86
 - Vibrio harveyi*
 - multi-channel Lux circuit, 183-85
 - Vibrio fischeri* Lux/LuxR bioluminescence system, 167-68

- R**
- rlt phage**
dairy bacteria phages and, 283, 285–86
- Rahnella* spp.**
coliform group
bacteriology and, 206, 209, 215–17, 221
- Ralstonia solanacearum***
quorum sensing and, 175
- Rash**
toxic shock syndrome and, 77, 80, 82
- Reactivation**
periodic
immune checkpoints in viral latency and, 531
- recA* gene**
recombination and bacterial population structure, 563
- Receptors**
anthrax and, 647, 655
antigenic variation at red cell surface in malaria and, 681–83
polarized epithelium and pathogens, 413–15
toxic shock syndrome and, 77, 79, 91
vector biology of leishmaniasis and, 468–69
viruses and interferons, 261, 270
- Recombination**
bacterial population structure and, 561–85
- Recurrence**
periodic
immune checkpoints in viral latency and, 531
- Red blood cells**
antigenic variation at red cell surface in malaria and, 673–97
- Redox potential**
thiol-redox pathways and, 21–40
- Red Queen theory**
symbiosis and fungus-growing ants, 366–67
- Redundancy**
thiol-redox pathways and, 28–30
- Repeat-induced point mutations**
homology-dependent gene silencing in fungi and, 382–84
- Respiration**
big bacteria and, 105, 114
- Restriction fragment length polymorphisms (RFLPs)**
ammonia-oxidizing bacteria and, 509
- Restriction/modification**
bacteriophage therapy and, 444
- Reynolds number**
big bacteria and, 115
- Rhizobium etli***
quorum sensing and, 175
- rhl* genes**
quorum sensing and, 170
- Rhodobacter capsulatus***
thiol-redox pathways and, 34
- Rhodobacter sphaeroides***
quorum sensing and, 175
thiol-redox pathways and, 25
- Rhodococcus rhodochrous***
novel thiols and, 338, 341
- Ribonucleotide reductase**
thiol-redox pathways and, 28–29, 38
- 16S Ribosomal DNA (16S rDNA)**
ammonia-oxidizing bacteria and, 492–508
- Ribosomal RNA (rRNA) operon**
ammonia-oxidizing bacteria and, 507
- Ricinus communis***
biological weapons and, 236
- Rickettsia* spp.**
biological weapons and, 236–37
horizontal gene transfer in prokaryotes and, 709, 716, 719–22, 728, 736
- Rifampin**
nonreplicating latency of *Mycobacterium tuberculosis* and, 144
- Rifamycin**
nonreplicating latency of *Mycobacterium tuberculosis* and, 144
novel thiols and, 345
- Rifapentene**
nonreplicating latency of *Mycobacterium tuberculosis* and, 144
- rif* genes**
antigenic variation at red cell surface in malaria and, 693–94
novel thiols and, 345
- RIM101* gene**
fungal pathogenesis and, 754
- Rimicaris exoculata***
big bacteria and, 120
- RNA interference (RNAi)**
homology-dependent gene silencing in fungi and, 392–93
- RNA polymerase**
horizontal gene transfer in prokaryotes and, 736
nonreplicating latency of *Mycobacterium tuberculosis* and, 144
periplasmic stress and

- extracytoplasmic function
sigma factors, 592,
597-98, 600
- RodA* gene
hydrophobins and, 626-27
- Rod-shaped bacteria
anthrax and, 647-63
- rpo* genes
bacterial gliding motility
and, 53
- periplasmic stress and
extracytoplasmic function
sigma factors, 592,
598-99, 601-3, 611, 614
- quorum sensing and, 170
- rse* genes
periplasmic stress and
extracytoplasmic function
sigma factors, 599, 601
- Run-and-tumble mechanism
big bacteria and, 111
- S**
- Saccharomyces cerevisiae*
fungal pathogenesis and,
746-47, 751-52
- horizontal gene transfer in
prokaryotes and, 716,
726-28
- thiol-redox pathways and,
26
- Saimiri* spp.
antigenic variation at red
cell surface in malaria
and, 677-78
- Saliva
vector biology of
leishmaniasis and, 473-75
- Salmonella* spp.
bacteriophage therapy and,
438-39
- coliform group
bacteriology and, 206
- polarized epithelium and
pathogens, 412, 416-17
- quorum sensing and, 186
- recombination and
bacterial population
structure, 566, 569, 572,
580, 584
- Salmonella typhimurium*
bacterial gliding motility
and, 58
- biological weapons and,
239
- fatty acid antibiotics and,
308
- history of research, 15
- quorum sensing and, 175,
183, 186
- Salmonella typhosa*
biological weapons and,
237
- Sand flies
vector biology and, 453-75
- sap* genes
anthrax and, 653, 660
- fungal pathogenesis and,
749-50
- SC genes
hydrophobins and, 626-31,
634, 636, 638-40
- Schizont infected cell
agglutination (SICA) test
antigenic variation at red
cell surface in malaria
and, 677-78
- Schizophyllum commune*
hydrophobins and, 626-32,
634, 636, 638-40
- Schizosaccharomyces pombe*
fungal pathogenesis and,
756
- horizontal gene transfer in
prokaryotes and, 726-27
- Scolytus multistriatus*
hydrophobins and, 636
- sea* gene
toxic shock syndrome and,
89
- seb* gene
toxic shock syndrome and,
89
- sec* gene
toxic shock syndrome and,
89
- Secondary cultures
bacteriophage therapy and,
441
- sed* gene
toxic shock syndrome and,
89
- Sediment-water interface
big bacteria and, 112-15
- see* gene
toxic shock syndrome and,
89
- seg* gene
toxic shock syndrome and,
89
- sei* gene
toxic shock syndrome and,
89
- sej* gene
toxic shock syndrome and,
89
- sek* gene
toxic shock syndrome and,
88-89
- sel* gene
toxic shock syndrome and,
88-89
- Selection pressure
antigenic variation at red
cell surface in malaria
and, 678
- big bacteria and, 105
- horizontal gene transfer in
prokaryotes and, 709
- Self-assembly
hydrophobins and, 625,
628-30
- "Self" DNA
recombination and
bacterial population
structure, 581
- sep* gene
toxic shock syndrome and,
89
- Sequestration
antigenic variation at red

- cell surface in malaria and, 673-64
- Sericomyrmex* spp.
symbiosis and
fungus-growing ants, 359
- Serratia* spp.
bacterial gliding motility and, 50
coliform group
bacteriology and, 206-8, 215-19, 221
quorum sensing and, 175, 188
- Sewage
ammonia-oxidizing bacteria and, 497-99
- sglK* gene
bacterial gliding motility and, 57
- she* gene
toxic shock syndrome and, 89
- Shigella* spp.
bacteriophage therapy and, 438-39
biological weapons and, 237
coliform group
bacteriology and, 206, 214
polarized epithelium and pathogens, 419-20
- sig* genes
anthrax and, 660
periplasmic stress and extracytoplasmic function
sigma factors, 602, 604-5
- σ^B factor
anthrax and, 660
- σ^E envelope stress response
periplasmic stress and extracytoplasmic function
sigma factors, 591-617
- Signal transduction
horizontal gene transfer in prokaryotes and, 724-26, 730, 735
- periplasmic stress and extracytoplasmic function
sigma factors, 591-617
quorum sensing and, 165-89, 165
viruses and interferons, 255-58, 261-63, 267, 270-71
- Single-locus variants
recombination and bacterial population structure, 576-79
- Siphoviridae*
dairy bacteria phages and, 283, 285-87, 289, 297
- skp* genes
periplasmic stress and extracytoplasmic function
sigma factors, 594, 599
- S-layer
anthrax and, 647-48, 651-54, 659-60
- Social gliding motility
bacterial gliding motility and, 49, 54-57
- Sodium hypochlorite
biological weapons and, 244, 247-48
- Sodium thiosulfate
biological weapons and, 244
- "Soviet taint"
bacteriophage therapy and, 437, 441
- soxS* gene
fatty acid antibiotics and, 319
- Specialist pathogens
symbiosis and
fungus-growing ants, 369-70
- Specific parasitic cell forms
fungal pathogenesis and, 751-52
- Specificity
bacteriophage therapy and, 443
- thiol-redox pathways and, 28-30
- spe* genes
toxic shock syndrome and, 90
- Spirochaetales*
horizontal gene transfer in prokaryotes and, 719
- Splits decomposition analysis
recombination and bacterial population structure, 566, 568
- Sporothrix schenckii*
fungal pathogenesis and, 758
- Sporulation
anthrax and, 647-63
quorum sensing and, 165, 179-82, 186-87
- SrH1* gene
hydrophobins and, 626-27
- ssa* gene
toxic shock syndrome and, 90
- SsgA* gene
hydrophobins and, 626-27, 636
- Stachybotrys* spp.
biological weapons and, 236
fungal pathogenesis and, 755
- Staphylococcus aureus*
biological weapons and, 236
fatty acid antibiotics and, 308, 319
quorum sensing and, 179, 181-82, 186
recombination and bacterial population structure, 561, 575, 578, 581-82
toxic shock syndrome and, 77-94
- Staphylococcus* spp.

- bacteriophage therapy and, 440, 442
- novel thiols and, 347
- Staphylothermus marinus*
 - big bacteria and, 115, 117
- Star evolution
 - horizontal gene transfer in prokaryotes and, 714
- STAT proteins
 - viruses and interferons, 255–58, 261–63, 270–74
- Stationary state
 - nonreplicating latency of *Mycobacterium tuberculosis* and, 139–56
- STE12 gene
 - fungal pathogenesis and, 752, 756
- stevor* gene
 - antigenic variation at red cell surface in malaria and, 693–94
- Stigmatella aurantiaca*
 - bacterial gliding motility and, 58
- Streptococcus pneumoniae*
 - fatty acid antibiotics and, 308–9, 319, 324
 - polarized epithelium and pathogens, 413–14
 - quorum sensing and, 179–80, 186
 - recombination and bacterial population structure, 561, 575, 578, 580–82, 584
- Streptococcus pyogenes*
 - quorum sensing and, 186
 - recombination and bacterial population structure, 575, 581
 - toxic shock syndrome and, 77–94
- Streptococcus* spp.
 - coliform group
 - bacteriology and, 212
 - dairy bacteria phages and, 283, 287–89, 291–95
 - horizontal gene transfer in prokaryotes and, 735
 - novel thiols and, 347–48
- Streptomyces* spp.
 - fatty acid antibiotics and, 306, 314
 - hydrophobins and, 631
 - novel thiols and, 343, 347
 - periplasmic stress and extracytoplasmic function sigma factors, 596–97, 602, 605
 - quorum sensing and, 166
 - thiol-redox pathways and, 26
- Substrate monopolization
 - big bacteria and, 128, 130
- Sulfide-oxidizing bacteria
 - big bacteria and, 105–32
- Sulfidic mud
 - big bacteria and, 105
- Sulfolobus acidocaldarius*
 - novel thiols and, 338
- Sulfur bacteria
 - big bacteria and, 105–32
- Superantigens
 - bacterial
 - toxic shock syndrome and, 77–94
- supp* gene
 - thiol-redox pathways and, 38–39
- surA* gene
 - periplasmic stress and extracytoplasmic function sigma factors, 594
- Surface antigen proteins
 - variant
 - antigenic variation at red cell surface in malaria and, 677–78
- Switching
 - antigenic variation at red cell surface in malaria and, 678–79, 692–93, 696–97
- fungal pathogenesis and, 753–54
- Symbiosis
 - fungus-growing ants and ant genera, 358–60
 - antibiotic production by
 - Attine ants, 364–66
 - antibiotic-producing bacteria, 371–74
 - antibiotics produced by fungal cultivars, 365
 - Attine fungus gardens, 368–69
 - benefite to actinomycete, 374
 - coevolution, 361–62
 - conclusions, 375
 - Escovopsis* spp., 368–69
 - fungal cultivation, 360–61
 - future research, 374–75
 - garden-tending, 362–66
 - introduction, 358
 - manuring and promoting garden growth, 363
 - monocultures, 366–67
 - pathogens of ant gardens, 367–71
 - promoting competitive ability of cultivar, 364
 - protecting garden from alien microbes, 363–66
 - Red Queen theory, 366–67
 - specialist vs generalist garden pathogens, 369–70
 - taxonomy, 370–71
 - horizontal gene transfer in prokaryotes and, 709
 - quorum sensing and, 165
- Synechocystis* spp.
 - bacterial gliding motility and, 49, 60, 68

- horizontal gene transfer in
prokaryotes and, 711,
716, 720–21, 724,
726–28
- 2-5(A)-Synthetase/Rnase L
viruses and interferons,
264–65
- Systemic fungal infections
fungal pathogenesis and,
743, 761–63
- T**
- Tail proteins
dairy bacteria phages and,
294–95
- Tatumella* spp.
coliform group
bacteriology and, 206
- Taxonomy
coliform group
bacteriology and, 201–24
symbiosis and
fungus-growing ants,
370–71
- T-cell memory
immune checkpoints in
viral latency and, 531,
533–53
- T-cell stimulation
toxic shock syndrome and,
77, 79, 85, 91, 93
- Terminal restriction fragment
length polymorphism
(T-RFLP) analysis
ammonia-oxidizing
bacteria and, 511, 516
- Terrestrial environments
ammonia-oxidizing
bacteria and, 499–502
- Tetracyclines
bacteriophage therapy and,
440, 446–47
- tgl* gene
bacterial gliding motility
and, 55–56
- Thermodesulfovibrio* spp.
ammonia-oxidizing
bacteria and, 494
- Thermodiscus* spp.
big bacteria and, 117
- Thermoplasma acidophilum*
horizontal gene transfer in
prokaryotes and, 720–21
- Thermotoga maritima*
horizontal gene transfer in
prokaryotes and, 711,
716, 720–21, 723, 726–28
- Thermotrophic organisms
coliform group
bacteriology and, 201,
219–21
- Thermus thermophilus*
horizontal gene transfer in
prokaryotes and, 726–27
- Thigmotropism
fungal pathogenesis and,
748
- Thiol-redox pathways
conclusions, 39–40
cytoplasm, 23–30, 37–39
DsbA, 31–32
DsbB, 32–33
DsbC, 31–32
DsbD, 34–36
glutaredoxin/glutathione/
glutathione reductase,
26–28
introduction, 22–23
miscellaneous periplasmic
thiol-redox proteins,
36–37
oxidation, 32–33
oxidative protein folding,
37–39
periplasm, 30–37
reduction, 34–36
redundancy vs specificity,
28–30
thioredoxin/thioredoxin
reductase, 23–26
- Thiolactomycin
fatty acid antibiotics and,
305–6, 314–16
- Thiols
novel
conclusions, 348–49
ergothioneine, 346–48
glutathione derivatives,
336–37
introduction, 334
miscellaneous thiols,
348
mycothiol, 343–46
novel vs common thiols,
335
oxidation, 334–35
- Thiomargarita namibiensis*
big bacteria and, 105–6,
108, 115–17, 129–31
- Thiopicla* spp.
big bacteria and, 116–17,
125, 128–31
- Thioredoxin/thioredoxin
reductase
thiol-redox pathways and,
21, 23–26
- Thiothrix* spp.
big bacteria and, 120–21,
125, 131
- Thiovulum majus*
big bacteria and, 105,
111–13, 117, 123–24
- Thogoto virus
viruses and interferons, 268
- Tight junctions
polarized epithelium and
pathogens, 424–25
- Titanospirillum velox*
big bacteria and, 117
- Toxic shock syndrome
animal models, 93–94
bacterial superantigens
MHC class II, 91–93
structure and function,
90–94
- T cell anergy and
deletion, 93
- T-cell antigen receptor,
91
- clinical features, 79–86
definition, 79–80

- epidemiology, 79–86
 future research, 94
 host immunity, 85–86
 introduction, 78–79
 phylogenetic tree, 88
 staphylococcal
 epidemiology, 81–82
 genetics, 87–89
 overview, 80–81
 streptococcal
 epidemiology, 83–84
 genetics, 90
 overview, 82–83
 superantigen
 “superfamily”, 86–87
 treatment, 84–85
- Toxins
 anthrax and, 647
 fungal pathogenesis and,
 754–55
 hydrophobins and, 625,
 637
 toxic shock syndrome and,
 77–94
- Toxoids
 toxic shock syndrome and,
 86
- Toxoplasma gondii*
 fatty acid antibiotics and,
 316
 viruses and interferons,
 273
- Trabulsiella* spp.
 coliform group
 bacteriology and, 206,
 209
- Trachymyrmex* spp.
 symbiosis and
 fungus-growing ants, 359,
 370, 372
- Tral/TraR virulence system
 quorum sensing and,
 171–72
- Transcriptional gene silencing
 homology-dependent gene
 silencing in fungi and,
 382–90
- Transcriptional regulation
 dairy bacteria phages and,
 289–90
 thiol-redox pathways and,
 25
 viruses and interferons,
 255–61, 267
- Transcytosis
 polarized epithelium and
 pathogens, 413–14
- Transient clones
 recombination and
 bacterial population
 structure, 573
- Translocation
 thiol-redox pathways and,
 21
- Transnuclear transcriptional
 gene silencing
 homology-dependent gene
 silencing in fungi and,
 386–87
- trb* operon
 quorum sensing and,
 172
- Treponema pallidum*
 antigenic variation at red
 cell surface in malaria
 and, 676
 horizontal gene transfer in
 prokaryotes and, 716,
 719–23, 726–27
- Trichoderma* spp.
 biological weapons and,
 626–27, 629
 hydrophobins and, 626–27,
 629
 symbiosis and
 fungus-growing ants, 369
- Trichomonas vaginalis*
 novel thiols and, 335
- Trichosporon* spp.
 fungal pathogenesis and,
 762
- Triclosan
 fatty acid antibiotics and,
 305–6, 318–19
- Tri* genes
 hydrophobins and, 626–27
- Trimethoprim/sulfafurazole
 bacteriophage therapy and,
 447
- Tritrichomonas foetus*
 novel thiols and, 335
- trp* gene
 toxic shock syndrome and,
 88
- trx* genes
 thiol-redox pathways and,
 24–30, 37–39
- Trypanosoma brucei*
 antigenic variation at red
 cell surface in malaria
 and, 678, 673
 fungal pathogenesis and,
 756
- TSST-huvine
 toxic shock syndrome and,
 86
- tst* genes
 toxic shock syndrome and,
 86–89
- Twitching motility
 bacterial gliding motility
 and, 49, 52–54
- Type IV pilus
 bacterial gliding motility
 and, 49–69
- tyrB* gene
 toxic shock syndrome and,
 88
- U**
- ubiA* gene
 thiol-redox pathways and,
 32
- Ultramicrobacteria
 big bacteria and, 106
- “Unicity”
 bacteriophage therapy and,
 442
- UPGMA algorithm
 recombination and
 bacterial population

- structure, 576, 580–81
- Upregulation
- periplasmic stress and extracytoplasmic function sigma factors, 595–96
- Ureaplasma urealyticum*
- horizontal gene transfer in prokaryotes and, 716, 719–20
- Ustilago maydis*
- hydrophobins and, 626–27
- V**
- Vaccines
- anthrax and, 647, 651, 661
 - antigenic variation at red cell surface in malaria and, 680
 - bacteriophage therapy and, 440, 442–43, 445
 - toxic shock syndrome and, 86
- var* genes
- antigenic variation at red cell surface in malaria and, 673, 686–93
- Variable-number tandem repeats (VNTRs)
- anthrax and, 663
- Vector-host interactions
- leishmaniasis and, 453–75
- Vertical descent
- horizontal gene transfer in prokaryotes and, 711–12
- Vertical transmission
- symbiosis and fungus-growing ants, 361
- Vesicular stomatitis virus
- viruses and interferons, 268–69
- Vibrio anguillarum*
- quorum sensing and, 175
- Vibrio cholerae*
- bacteriophage therapy and, 446
 - biological weapons and, 237
 - fatty acid antibiotics and, 322–23
 - horizontal gene transfer in prokaryotes and, 716, 719–20, 722–23, 726–27
 - quorum sensing and, 186
- Vibrio* spp.
- bacterial gliding motility and, 50
 - novel thiols and, 347
 - quorum sensing and, 166–68, 172–74, 183–86, 188
- Viral latency
- immune checkpoints and, 531–53
- Virulence
- anthrax and, 647, 650–51, 658–59
 - antigenic variation at red cell surface in malaria and, 673, 681–87, 697
 - dairy bacteria phages and, 283, 287
 - fungus pathogenesis and, 743–63
 - periplasmic stress and extracytoplasmic function sigma factors, 615–16
 - polarized epithelium and pathogens, 407
 - quorum sensing and, 165, 168–73, 181–82
 - symbiosis and fungus-growing ants, 357, 368–75
- Viruses
- bacteriophage therapy and, 442
 - biological weapons and, 236, 240, 244, 247
 - immune checkpoints in viral latency and, 531–53
 - interferons and, 255–75
- Virus-host regulatory loop
- immune checkpoints in viral latency and, 531
- VMH* genes
- hydrophobins and, 626–27
- Vorticella* spp.
- big bacteria and, 115
- W**
- Wangiella dermatitidis*
- fungus pathogenesis and, 755
- Water safety
- microbial coliform group bacteriology and, 201–24
- X**
- Xantheria ectaneoides*
- hydrophobins and, 626–27
- Xanthobacter* spp.
- novel thiols and, 338, 341
- Xanthoria* spp.
- hydrophobins and, 626–27, 635
- XEH1* gene
- hydrophobins and, 626–27
- Xenologous gene displacement
- horizontal gene transfer in prokaryotes and, 709, 718, 727, 734–36
- Xenorhabdus* spp.
- coliform group bacteriology and, 206
- XPH1* gene
- hydrophobins and, 626–27
- Xylella fastidiosa*
- horizontal gene transfer in prokaryotes and, 716, 720, 722, 724–27
- Xylem
- hydrophobins and, 637

Y*Yersinia pestis*

biological weapons and,
236-37, 239, 247

Yersinia spp.

coliform group
bacteriology and,
206-8, 214-16, 219,
221

polarized epithelium and
pathogens, 421-23
quorum sensing and, 175,
186

recombination and
bacterial population
structure, 564, 584

Yokenella spp.

coliform group

bacteriology and, 206,
209

Z

Zn²⁺ metalloprotease
anthrax and, 647, 657

Zoothamnium spp.

big bacteria and,
115